Safety Data Sheet (SDS) NANOSKIN FABRIC Fabric & Carpet Protector



1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers					
	Product name	:	NANOSKIN FABRIC Fabric & Carpet Protector			
	Product identifier	:	NA-FAB			
	Product Family	:	SOLVENT BLEND			
1.2	Relevant identified uses of the substance or mixture and uses advised against					
	Identified Uses	:	Automotive Interior detailing			
1.3	Details of the supplier of the safety data sheet					
	Company	:	NANOSKIN Car Care Products			
			Total Import Solutions, Inc.			
			14700 Radburn Ave.			
			Santa Fe Springs, CA 90670			
	Telephone	:	<u>562-691-6818</u>			
	Fax	:	<u>562-483-8333</u>			
1.4	1.4 Emergency telephone number					
	Emergency phone #	:	PERS NORTH AMERICA 1-800-633-8253			
			INTERNATIONAL 1-801-629-0667			

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910(OSHA HCS)

H227 Combustible liquid

H304 May be fatal if swallowed and enters airways.

Precautionary Statements

Prevention:

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage: P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal: p501 Dispose of contents/ container to an approved waste disposal plant.

2.2 GHS Label elements, including precautionary statements

SIGNAL WORD: DANGER Pictogram



3. COMPOSITION/INFORMATION ON INGREDEINTS

Component	CAS number	Warnings	Concentration
C-12-C14 ISOALKANES	68551-19-9		90-100%
PERFLUOROALKYL/ALKYL COPOLYMER RESIN	Proprietary		5-10%

4. FIRST AID MEASURES

First aid procedures

After inhalation:

Get victim to fresh air. Give artificial respiration or oxygen if breathing has stopped. Get

prompt medical attention. Do not give fluids if victim is unconscious. If victim is consious, rinse mouth with water and contact emergency number listed in section 1.4.

After contact with skin:

Immediately wash skin with soap and water. May cause irritation. Seek medical attention if irritation or allergic reaction is present.

After contact with eyes:

Immediately flush eyes with running water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek prompt medical attention if redness or irritation occurs. Avoid agitation. Remove contact lenses if able.

After ingestion:

Rinse mouth with water, contact poison control center or emergency number listed in section 1.4. Never give anything by mouth to an unconscious person.

Advice to doctor / Treatment:

None known.

5. FIRE FIGHTING MEASURES

INDIRECT FIRE HAZARD

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard".

lodified 1/10/2016			-
EXPLOSION HAZARD EXPLOSION may be	HAZARD. H	explosive with air within explosi- leat may cause pressure rise in parks. Reactions with explosion	tanks/drums: explosion risk.
	compounds. Prolonge Reacts violently with	O and CO2 are formed. Violent d storage: on exposure to light: (strong) oxidizers: peroxidation	release of harmful
FIREFIGHTING INSTRUCTION			
After co	atinguish/cool from bel poling: persistant risk emical fire extinguis	ith water spray/remove them into hind cover. Do not move the loa of physical explosion. Use alco shers.	d if exposed to heat.
	Heat/fire exposure: o	compressed air/oxygen apparatu	us.
6. ACCIDENTAL RELEASE MEASUF			
PROTECTIVE EQUIPMENT		oggles. Protective clothing. Larg	e snills/in enclosed snaces
-	essed air apparatus.		je spilisj ili eliciosed spaces.
EMERGENCY PROCEDURES	For large spills:		
27025	Keep upwind. Mark	the danger area. Consider evactors of adjacent premises. Stop	
		. Spark- and explosionproof app	-
6	•	sed. Wash contaminated clothe	
	For small spills:		-
	Absorb with inert m	edia and sweep into designated dations listed under section 13.	
FOR EMERGENCY RESPONDERS	•	dations listed under section 15.	
PROTECTIVE EQUIPMENT		with proper protection.	
EMERGENCY PROCEDURES	Ventilate area.		
SEE SECTION 8 FOR PERSONAL PRO		AND EXPOSURE CONTROLS	
7. HANDLING AND STORAGE			
HANDLING	Comply with the leg	al requirements. Remove conta	minated clothing
		nated clothing. Handle unclean	
	•	clean/dry the installation before	• •
		ot use compressed air for pump	
over. Use spark-/explosionproc	of appliances and light	ting system. Take	-
precautions against electrostat	ic charges. Keep away	y from naked flames/heat.	
Keep away from ignition source	es/sparks. Avoid prolo	onged and repeated	
contact with skin. Keep contain	er tightly closed. Mea	asure the concentration in	
the air regularly. Work under lo			
STORAGE		Do not store in temperatures ab	-
-		umulate. Store in adequate vent	
HYGEINE		smoke when using this product	
	-	hands and other exposed areas g or smoking and when leaving	-
8. EXPOSURE CONTROLS/PERSON			
Exposure Guideline Comments COMPONENT CAS NUMBER	Exposure Limits: VALUE	CONTROL PARAMETERS	BASIS
C12-C14 Isoalkanes		A 1,200 mg/m3	DAJIJ
	1 VV7	x ±,200 mg/m3	
	_		

ENGINEERING CONTROLS Eme

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Modified 1/10/2016

Materials for protective clothing :Use butyl rubber of at least .3mm thickness. Avoid nitrile and pvc
protection.Hand protectionPlease use gloves with the above materials recommendation.Eye protectionProtective goggles.Skin and body protectionHead/neck protection. Protective clothing.

Respiratory protection Wear gas mask with filter type A if conc. in air > exposure limit.

Other information Do not eat, drink or smoke during use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State liq	Juid
Appearance Cl	ear liquid solvent
Particle Size No	ot applicable
Odor Ar	omatic
Odor Threshold No	o Available Data
Molecular Formula M	ixture
Molecular Weight M	ixture
Boiling Point >	79.4 °C (> 174.9 °F)
Decomposition Temperature No	o Available Data
Melting point No	o Available Data
Freezing Point No	o Available Data
Relative Density ~."	78g/cm3
Bulk Density No	o Available Data
Solubility in Water No	o Available Data
Solubility in other liquids No	o Available Data
Flash point >0	C

10. STABILITY AND REACTIVITY					
Chemical Stability	Stable under normal conditions.				
Conditions to Avoid	Avoid extreme temperatures.				
Hazardous Decomposition					
Products	Carbon Oxides.				
Possibility of Hazardous					
Reactions	Do not bring into contact with oxidizers.				
	-				

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

C12-C14 Isoalkanes : LD50: > 5000 milligram per kilogram Species: rat Method: OECD Test Guideline 401 Information given is based on data obtained from similar substances.

C12-C14 Isoalkanes : LC50: > 5.3milligram per literExposure time: 4 h Species: rat Test atmosphere: vapor Method: OECD Test Guideline 403 Information given is based on data obtained from similar substances.

Skin irritation

C12-C14 Isoalkanes : No skin irritation Information given is based on data obtained from similar substances. **Eye irritation**

C12-C14 Isoalkanes : No eye irritation Information given is based on data obtained from similar substances. **Sensitization**

C12-C14 Isoalkanes : Classification: Did not cause sensitization on laboratory animals. Information given is based on data obtained from similar substances.

Repeated dose toxicity

C12-C14 Isoalkanes : Species: Monkey Application Route: Inhalation Dose: 0, 654 ppm Exposure time: 4 wk Number of exposures: 6 h/d, 3 d/wk NOEL: > 654 ppm Method: OECD Test Guideline 412 Species: rat, male and female Sex: male and female Application Route: oral gavage Dose: 0, 25, 150, 1000 mg/kg/d Exposure time: 4 wk Number of

Modified 1/10/2016

exposures: daily NOEL: >= 1000 mg/kg/d Method: OECD Guideline 422 Information given is based on data obtained from similar substances.

Reproductive toxicity

C12-C14 Isoalkanes : Species: rat Sex: male Application Route: oral gavage Dose: 0, 750, 1500, 3000 mg/kg/bw/d Number of exposures: daily Test period: 90 d Method: OECD Test Guideline 415 NOAEL Parent: >= 3000 mg/kg/bw/d Information given is based on data obtained from similar substances. Species: rat Sex: female Application Route: oral gavage Dose: 0, 750, 1500 mg/kg/bw/d Number of exposures: daily Test period: 90 d Method: OECD Test Guideline 415 NOAEL Parent: >= 1500 mg/kg/bw/d NOAEL F1: 750 mg/kg/bw/d Information given is based on data obtained from similar substances. Species: rat Sex: male and female Application Route: inhalation (vapor) Dose: 100, 300 ppm Number of exposures: 6 h/d/5d/wk Test period: 8 wk Method: OECD Guideline 421 NOAEL Parent: >= 300 ppm NOAEL F1: >= 300 ppm Information given is based on data obtained from similar substances.

Developmental Toxicity

C12-C14 Isoalkanes :

Species: rat Application Route: Inhalation Dose: 100, 300 ppm Exposure time: GD 6-15 Number of exposures: 6 h/d NOAEL Teratogenicity: >= 300 ppm Information given is based on data obtained from similar substances. Species: rat Application Route: Inhalation Dose: 300, 900 ppm Exposure time: GD 6-15 Number of exposures: 6 h/d Method: OECD Guideline 414 NOAEL Teratogenicity: >= 900 ppm NOAEL Maternal: >= 900 ppm Information given is based on data obtained from similar substances. Species: rat Application Route: oral gavage Dose: 0, 500, 1000, 1500 mg/kg/d Exposure time: GD 6-15 Number of exposures: Daily Method: OECD Guideline 414 NOAEL Teratogenicity: 1,000 mg/kg NOAEL Maternal: 500 mg/kg Information given is based on data obtained from similar substances.

Aspiration toxicity :

May be fatal if swallowed and enters airways. Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity hazard.

CMR effects

C12-C14 Isoalkanes : Carcinogenicity: Limited evidence of carcinogenicity in animal studies Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects

Teratogenicity: Animal testing did not show any effects on fetal development. Reproductive toxicity: No adverse effects expected

12. ECOLOGICAL TOXICITY TOXICITY

Toxicity to fish C12-C14 Isoalkanes : LL50: > 1,000 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow
trout) semi-static test Method: OECD Test Guideline 203 Information given is
based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates

C12-C14 Isoalkanes : EL50: > 1,000 mg/l Exposure time: 48 h Species: Daphnia
magna (Water flea) static test Method: OECD Test Guideline 202 Information
given is based on data obtained from similar substances.Toxicity to algaeC12-C14 Isoalkanes : EL50: > 1,000 mg/l Exposure time: 72 h Species:
Pseudokirchneriella subcapitata (green algae) Growth inhibition Method: OECD
Test Guideline 201 Information given is based on data obtained from similar
substances.

13. DISPOSAL CONSIDERATIONS

PRODUCT

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for

Modified 1/10/2016

regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility. **CONTAMINATED PACKAGING** Dispose of as unused product.

14. TRANSPORT INFORMATIONShipping InformationNot UN rated: NOT UN RATED AS HAZARDOUSSpecial Shipping InformationNot applicable.HMISHEALTH1FLAMMABILITY1REACTIVITY0

15. REGULATORY INFORMATION

United States

SARA 311/312 Hazards : Fire Hazard

SARA 313 Ingredients : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know : C12-C14 Isoalkanes - 68551-19-9 New Jersey Right To Know : C12-C14 Isoalkanes - 68551-19-9 California Prop. 65 Ingredients : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.