

BOSSAUTO INNOVA, S.A.

Pol. Ind. Valldoriolf C' Thomas Edison 16, 08430 La Roca del Vallés. Barcelona t: +34 938 604 923 / f: +34 938 712 336 info@bossauto.com/ www.bossauto.com



TECHNICAL DATA SHEET

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

NAME OF THE Mixing cup lid 3800 ml **PRODUCT CODE** 100309 **DISTRIBUTOR** BOSSAUTO INNOVA, S.A. ADDRESS c/ Thomas Edison 16, Apartado de correos 95 CITY 08430 La Roca del Vallés (Barcelona) SPAIN **PHONE** + 34 93 860 49 23

FAX +34 93 871 23 36 **E-MAIL** info@bossauto.com

WEB www.bossauto.com

2. DIMENSIONS

Shape: Round

External diameter: 197,2 mm+/- 2 mm

Height: 12 mm +/- 0.2 mm

3. LIP TYPE

Closure type: Peel-off

Lid type: Standard with centering ring

4. ROW MATERIAL

Row material options: PP

Approvals: All products comply with the FDA and European Legislation in force relating to materials and articles intended to come into contact with food.

5. WEIGHT

Weight: 32 g +/- 3 g

6. PERFORMANCE

A. Hot filling

85-95° C

The material chosen has a very good heat resistance and the packaging is suitable for hot filling. Notably, plastic packaging become flexible when subjected to hot filling temperatures and care must be taken in relation to stacking immediately after hot filling. After cooling of the product and pail, the pail regains its original stacking strength.

1-2

Last review: 15/04/2014



BOSSAUTO INNOVA, S.A. Pol. Ind. Valldoriolf O' Thomas Edison 16,

08430 La Roca del Vallés. Barcelona t: +34 938 604 923 / f: +34 938 712 336 info@bossauto.com/ www.bossauto.com/



B. Cold temperatures

The standard resin material resists temperatures down to -20°C. Standard transparent products might become brittle at temperatures below 0° C.

C. Shelf life

The compliance of the product to the technical specifications in this data sheet is guaranteed for 12 months after the date of the delivery subject to suitable storage.

D. Quality information

Deviations in the product specifications in this data sheet of 0.025% or less (i.e. 25 items per 100,000) on a rolling 12 months basis are considered acceptable in the industry and therefore cannot be construed as a defect. Also, please refer to the Standard Sales and Delivery Terms in force at the time of delivery.

7. OTHER INFORMATION

UN approval: No

Special:

The technical information is in accordance with our experience. We assure the quality of the product. However, the conditions of use are not under our control and we cannot assume any responsibility of the obtained results.

2-2